



ELSEVIER

Applied Numerical Mathematics 15 (1994) 495–496



APPLIED
NUMERICAL
MATHEMATICS

Author Index—Volume 15 (1994)

(The issue number is given in front of the page numbers)

- | | | | |
|---|-------------|--|-------------|
| Affouf, M. , Numerical study of a singular system of conservation laws arising in enhanced oil reservoirs | (1) 1–11 | Guo, W. and M. Stynes , Finite element analysis of an exponentially fitted non-lumped scheme for advection–diffusion equations | (4) 375–393 |
| Agoshkov, V.I., A. Quarteroni and F. Saleri , Recent developments in the numerical simulation of shallow water equations I: boundary conditions | (2) 175–200 | Iserles, A. , Convergence acceleration as a dynamical system | (2) 101–121 |
| Bocharov, G.A. and A.A. Romanyukha , Numerical treatment of the parameter identification problem for delay-differential systems arising in immune response modelling | (3) 307–326 | Jackson, K.R., A. Kværnø and S.P. Nørsett , The use of Butcher series in the analysis of Newton-like iterations in Runge–Kutta formulas | (3) 341–356 |
| Brezinski, C. and M. Morandi Cecchi , Preface | (2) 99–100 | Jadic, I. , A numerical method for the approximation of singular integrals of functions with a pole of order two | (4) 395–406 |
| Brezinski, C. and M. Redivo-Zaglia , Extrapolation methods | (2) 123–131 | Janik, T.J. and S. Jensen , On the stability and performance of the p -version of the finite element method for first-order hyperbolic problems | (4) 407–437 |
| Butcher, J. , Preface | (3) 305 | Jensen, S. , see Janik, T.J. | (4) 407–437 |
| Calvo, M., J.I. Montijano and L. Rández , A polyvalent Runge–Kutta triple | (1) 13–26 | Jódar, L., R. Company and E. Navarro , Laguerre matrix polynomials and systems of second-order differential equations | (1) 53–63 |
| Carniel, R. , A quasi cell mapping approach to the global dynamical analysis of Newton's root-finding algorithm | (2) 133–152 | Jorge, J.C. and F. Lisbona , Contractivity results for alternating direction schemes in Hilbert spaces | (1) 65–75 |
| Company, R. , see Jódar, L. | (1) 53–63 | Kalitkin, N.N. , see Dnestrovskaya, E.Yu. | (3) 327–340 |
| Dnestrovskaya, E.Yu., N.N. Kalitkin and L.V. Kusmina , L_q -decreasing monotonic schemes with complex coefficients and applications to complicated PDE systems | (3) 327–340 | Kusmina, L.V. , see Dnestrovskaya, E.Yu. | (3) 327–340 |
| Falcone, M., P. Lanucara and A. Seghini , A splitting algorithm for Hamilton–Jacobi–Bellman equations | (2) 207–218 | Kværnø, A. , see Jackson, K.R. | (3) 341–356 |
| Funaro, D. , Spectral elements in the approximation of boundary-value problems in complex geometries | (2) 201–205 | Laminie, J., F. Pascal and R. Temam , Implementation and numerical analysis of the nonlinear Galerkin methods with finite elements discretization | (2) 219–246 |
| Glaister, P. , An efficient flux difference splitting algorithm for unsteady duct flows of a real gas | (1) 27–52 | Lanucara, P. , see Falcone, M. | (2) 207–218 |
| Graves-Morris, P.R. , A review of Padé methods for the acceleration of convergence of a sequence of vectors | (2) 153–174 | Lavastre, H. , On the stochastic acceleration of sequences of random variables | (1) 77–98 |
| | | Lisbona, F. , see Jorge, J.C. | (1) 65–75 |
| | | Maroni, P. , Modified classical orthogonal polynomials associated with oscillating functions—open problems | (2) 259–283 |
| | | Martins, M.M. and M.E. Trigo , On the convergence of the interval MAOR method | (4) 439–448 |

- Montijano, J.I.**, see **Calvo, M.** (1) 13–26
Moore, P.K. and **L.R. Petzold**, A stepsize control strategy for stiff systems of ordinary differential equations (4) 449–463
Morandi Cecchi, M. and **A. Scarpa**, A space–time finite element method for nonlinear parabolic problems (2) 247–258
Morandi Cecchi, M., see **Brezinski, C.** (2) 99–100

Navarro, E., see **Jódar, L.** (1) 53–63
Nørsett, S.P., see **Jackson, K.R.** (3) 341–356

Pascal, F., see **Laminie, J.** (2) 219–246
Petzold, L.R., see **Moore, P.K.** (4) 449–463

Quarteroni, A., see **Agoshkov, V.I.** (2) 175–200

Rabinowitz, P., Application of approximating splines for the solution of Cauchy singular integral equations (2) 285–297
Rández, L., see **Calvo, M.** (1) 13–26
Redivo-Zaglia, M., see **Brezinski, C.** (2) 123–131
Romanyukha, A.A., see **Bocharov, G.A.** (3) 307–326

Saleri, F., see **Agoshkov, V.I.** (2) 175–200
Scarpa, A., see **Morandi Cecchi, M.** (2) 247–258
Seghini, A., see **Falcone, M.** (2) 207–218
Sei, A. and **W.W. Symes**, Error analysis of numerical schemes for the wave equation in heterogeneous media (4) 465–480
Sommeijer, B.P., see **van der Houwen, P.J.** (3) 357–374
Stynes, M., see **Guo, W.** (4) 375–393
Su, C., A domain decomposition method for determining the diffusion coefficient of a two-dimensional linear diffusion equation in the time domain (4) 481–493
Symes, W.W., see **Sei, A.** (4) 465–480
Szafraniec, F.H., Localization in the implicit function theorem: the method and an application (2) 299–303

Temam, R., see **Laminie, J.** (2) 219–246
Trigo, M.E., see **Martins, M.M.** (4) 439–448

Van der Houwen, P.J. and **B.P. Sommeijer**, Butcher–Kuntzmann methods for non-stiff problems on parallel computers (3) 357–374

